Physica C 206 (1993) 399–402
North-Holland

PHYSICA C

Author Index to Volume 206

Adachi, S., T. Sakurai, Y. Yaegashi, N. Seiji, A. Fukuoka and H. Yamauchi, Increase of the Meissner volume fraction in O_2-HIP processed $La_{1.85}Ca_{1.15}Cu_2O_6$ samples **206**, 329
Adrian, H., see C.M. Fu **206**, 110
Agarwal, S.K., see B.R. Sekhar **206**, 139
Aligia, A.A., see M.E. Simón **206**, 297
Altorfer, F., see W. Marti **206**, 158
Arai, J., S. Ogawa and K. Umezawa, Local destruction of antiferromagnetic spin correlation in high-T_c superconductor $(La_{1-x}Sr_x)_2Cu_{0.99}M_{0.01}O_{4-z}$ (M=Ga,Fe) **206**, 257
Asadov, A.K., Yu.A. Genenko, G.G. Levchenko, V.I. Marcoviĉ, Yu.V. Medvedev, A.V. Pashenko and I.M. Phita, Controllable dimensional crossover of magnetic behavior in single-crystal GdBaCuO with variable oxygen content **206**, 119
Awana, V.P.S., see B.R. Sekhar **206**, 139

Baert, M., see C.M. Fu **206**, 110
Balakrishnan, G., D.M. Paul, M.R. Lees and A.T. Boothroyd, Single crystal growth of $Bi_2Sr_2CaCu_2O_8$ using an infra-red image furnace **206**, 148
Baliña, M., see M.E. Simón **206**, 297
Berdahl, P., see S.K. Gupta **206**, 335
Beskrovnyi, A.I., Z. Jirák, M. Nevřiva and I.G. Shelkova, Neutron diffraction study of the modulated structure of $Bi_2Sr_{3-x}Y_xCu_2O_{8+y}$ ($x\sim0.6$) **206**, 27
Bettahi, A., see J. Marfaing **206**, 242
Boon, W., see C.M. Fu **206**, 110
Boothroyd, A.T., see G. Balakrishnan **206**, 148
Boulesteix, C., see J. Marfaing **206**, 242
Briceño, G., see S.K. Gupta **206**, 335
Bruynseraede, Y., see S. Libbrecht **206**, 51
Bruynseraede, Y., see C.M. Fu **206**, 110
Burns, S.J., Tetragonal symmetry from superconductivity in orthorhombic $YBa_2Cu_3O_7$ **206**, 97

Cai, J., see M. Xie **206**, 251
Calestani, G., G. Salsi, M.G. Francesconi, R. Masini, L. Dimesso, A. Migliori, X.F. Zhang and G. Van Tendeloo, Effects of the annealing conditions on the structural and superconducting properties of $Bi_{2-x}Pb_xSr_2Y_{0.2}Ca_{0.8}Cu_2O_z$ **206**, 33
Cardona, M., see C. Thomsen **206**, 137
Cardona, M., see J. Humlíček **206**, 345
Chen, B.J., see M.A. Rodriguez **206**, 43
Chen, C.H., S.-W. Cheong, D.J. Werder and H. Takagi, Microstructural changes induced by lattice instabilities in $La_{2-x}Ba_xCuO_4$ ($x=0.125$) and Nd_2NiO_4 **206**, 183
Chen, T.G., see M. Xie **206**, 251
Cheong, S.-W., see C.H. Chen **206**, 183

Delsing, A., see C. Træholt **206**, 318
Dimashko, Yu.A., The t–J_z model: two holes pairing by means of one string **206**, 393
Dimesso, L., see G. Calestani **206**, 33
Dorosinskii, L.A., M.V.I.V.I. Nikitenko, A.A. Polyanskii, R.L. Prozorov and V.K. Vlasko-Vlasov, Magnetooptic observation of the Meissner effect in $YBa_2Cu_2O_{7-x}$ single crystals **206**, 360

Fischer, P., see W. Marti **206**, 158
Fisher, L.M., N.V. Il'in, I.F. Voloshin, N.M. Makarov, V.A. Yampol'skii, F. Perez Rodriguez and R.L. Snyder, On the applicability of the critical state model to the description of electromagnetic properties of high-T_c superconductors **206**, 195
Flambaum, V.V., see O.P. Sushkov **206**, 269
Flegel, R., H. Neeb, M. Lai, M. Lapczyna and C. Heiden, Investigation of the homogeneity of thin high-T_c superconducting films **206**, 1
Fleisher, V.G., V.I. Kozub and Yu.P. Stepanov, Slow relaxation of AC-susceptibility of YBaCuO microcrystalline powders: magnetic field-induced dynamical alignment of crystallites **206**, 305
Francesconi, M.G., see G. Calestani **206**, 33
Frechette, V.D., see M.A. Rodriguez **206**, 43
Fu, C.M., V.V. Moshchalkov, E. Rosseel, M. Baert, W. Boon, Y. Bruynseraede, G. Jakob, T. Hahn and H. Adrian, Effect of dimensional crossover on the magnetoresistance of $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices **206**, 110
Fukuoka, A., see S. Adachi **206**, 329

Ganguly, P., N. Shah and F.C. Matacotta, Electron spin resonance evidence for the role of copper ions in interlayer coupling in layered copper oxycarbonates **206**, 70
Gao, Z.X., see S. Libbrecht **206**, 51
Garg, K.B., see B.R. Sekhar **206**, 139
Genenko, Yu.A., see A.K. Asadov **206**, 119
Göbel, H.E., see M.A. Rodriguez **206**, 43
Gornik, E., see Y. Sun **206**, 291
Groult, D., see V. Hardy **206**, 220
Guan, W., see Y. Xu **206**, 59
Guilloux-Viry, M., see O. Peña **206**, 6
Gupta, H.C., Electron–phonon interaction, superconducting transition temperature and energy gap of Rb_3C_{60} **206**, 217
Gupta, S.K., P. Berdahl, R.E. Russo, G. Briceño and A. Zettl, Pulse I–V characteristics measurement to study the dissipation mechanism in epitaxial $YBa_2Cu_3O_x$ thin films at high current densities **206**, 335

Habermeier, H.-U., see J. Humlíček **206**, 345

Hahn, T., see C.M. Fu **206**, 110
Hardy, V., Ch. Simon, J. Provost and D. Groult, Pinning forces in Bi-2212 single crystals irradiated by 6 GeV Pb ions **206**, 220
Hegde, M.S., see S.P. Pandey **206**, 207
Heiden, C., see R. Flegel **206**, 1
Hervieu, M., see R. Vijayaraghavan **206**, 81
Humlíček, J., A.P. Litvinchuk, W. Kress, B. Lederle, C. Thomsen, M. Cardona, H.-U. Habermeier, I.E. Trofimov and W. König, Lattice vibrations of $Y_{1-x}Pr_xBa_2Cu_3O_7$: theory and experiment **206**, 345
Hyun, O.B., Flux expulsion at intermediate fields in type-II superconductors **206**, 169

Il'in, N.V., see L.M. Fisher **206**, 195
Imafuku, M., see H. Teshima **206**, 103

Jackson, E.M., B.D. Weaver and G.P. Summers, Proton-induced increase of the penetration depth in a $Tl_2Ba_2Ca_1Cu_2O_x$ microstrip resonator **206**, 163
Jakob, G., see C.M. Fu **206**, 110
Jirák, Z., see A.I. Beskrovnyi **206**, 27

Kikuchi, M., see H. Nameki **206**, 227
Kinoshita, M., see T. Nojima **206**, 387
König, W., see J. Humlíček **206**, 345
Koshizuka, N., see M. Suga **206**, 22
Kozub, V.I., see V.G. Fleisher **206**, 305
Kress, W., see J. Humlíček **206**, 345
Kumaraswamy, B.V., see S.P. Pandey **206**, 207
Kurihara, S., see N. Mitani **206**, 13
Kuwasawa, Y., see T. Nojima **206**, 387

Lai, M., see R. Flegel **206**, 1
Lapczyna, M., see R. Flegel **206**, 1
Lapinskas, S., see V.E. Zubkus **206**, 155
Lederle, B., see J. Humlíček **206**, 345
Lees, M.R., see G. Balakrishnan **206**, 148
Lele, P. and A.S. Nigavekar, Core level photoemission studies for the interface reaction between Al and $Bi_2Sr_2CaCu_2O_8$ superconductor **206**, 202
Levchenko, G.G., see A.K. Asadov **206**, 119
Li, X.T., see M. Xie **206**, 251
Li, Z.Z., H. Rifi, A. Vaures, S. Megtert and H. Raffy, Oxygen-induced superconducting, metallic or insulating behaviour in as-grown epitaxial $Bi_2Sr_2CuO_x$ thin films **206**, 367
Libbrecht, S., E. Osquiguil, B. Wuyts, M. Maenhoudt, Z.X. Gao and Y. Bruynseraede, Effect of room temperature annealing on the properties of oxygen-deficient $YBa_2Cu_3O_x$ films **206**, 51
Litvinchuk, A.P., see J. Humlíček **206**, 345
Liu, A., see C.D. Wei **206**, 285
Liu, Z.X., see C.D. Wei **206**, 285
Luk'yanchuk, I. and M. Zhitomirsky, Symmetry of the mixed state of superconductors with anisotropic pairing **206**, 373

Maenhoudt, M., see S. Libbrecht **206**, 51
Maignan, A., see R. Vijayaraghavan **206**, 81
Makarov, N.M., see L.M. Fisher **206**, 195
Marcovič, V.I., see A.K. Asadov **206**, 119
Marfaing, J., A. Bettahi, P. Odier and C. Boulesteix, Effect of sintering-induced interfacial reactions on the electrical properties of $YBa_2Cu_3O_{7-x}$ films screen-printed onto silicon-based substrates **206**, 242
Marti, W., F. Altorfer, P. Fischer and H.J. Scheel, Thermal expansion coefficients of $NdBa_2Cu_3O_{7-\delta}$ **206**, 158
Martin, C., see R. Vijayaraghavan **206**, 81
Masini, R., see G. Calestani **206**, 33
Matacotta, F.C., see P. Ganguly **206**, 70
Matheis, D.P., see M.A. Rodriguez **206**, 43
Matthews, D.N., see K.-H. Müller **206**, 275
Medvedev, Yu.V., see A.K. Asadov **206**, 119
Megtert, S., see Z.Z. Li **206**, 367
Michel, C., see R. Vijayaraghavan **206**, 81
Migliori, A., see G. Calestani **206**, 33
Minh-Tien, C. and N.M. Plakida, Superconductivity in the two-band Emery model **206**, 90
Misture, S.T., see M.A. Rodriguez **206**, 43
Mitani, N. and S. Kurihara, Radiative corrections to spin waves in the interacting hole-spin model **206**, 13
Miura, T., see S. Takeno **206**, 75
Mokhtari, M., see O. Peña **206**, 6
Moshchalkov, V.V., see C.M. Fu **206**, 110
Müller, K.-H. and D.N. Matthews, A model for the hysteretic critical current density in polycrystalline high-temperature superconductors **206**, 275

Nakamura, S., see S. Takeno **206**, 75
Nakano, S., see T. Nojima **206**, 387
Nameki, H., M. Kikuchi and Y. Syono, The modulated structure and excess oxygen in superconducting $Bi_2(Sr,Nd)_2CuO_y$ **206**, 227
Narlikar, A.V., see B.R. Sekhar **206**, 139
Narlikar, A.V., see S.P. Pandey **206**, 207
Neeb, H., see R. Flegel **206**, 1
Nevřiva, M., see A.I. Beskrovnyi **206**, 27
Nigavekar, A.S., see P. Lele **206**, 202
Nikitenko, M.V.I.V.I., see L.A. Dorosinskii **206**, 360
Nojima, T., M. Kinoshita, S. Nakano and Y. Kuwasawa, Transport critical current density and dimensional crossover in superconducting Nb/NbZr multilayers **206**, 387

Odier, P., see J. Marfaing **206**, 242
Ogawa, S., see J. Arai **206**, 257
Osquiguil, E., see S. Libbrecht **206**, 51

Pandey, S.P., M.S. Hegde, B.V. Kumaraswamy and A.V. Narlikar, Zn and Ga substitution in superconducting $YBa_2Cu_4O_8$ **206**, 207
Pashenko, A.V., see A.K. Asadov **206**, 119
Paul, D.M., see G. Balakrishnan **206**, 148
Peña, O., M. Mokhtari, C. Perrin, C. Thivet, M. Guilloux-Viry, A. Perrin and M. Sergent, T_c enhancement and

superconducting properties of a $YBa_2Cu_3O_{\sim 6.5}$ thin film after fluorine insertion **206**, 6
Perez Rodriguez, F., see L.M. Fisher **206**, 195
Perrin, A., see O. Peña **206**, 6
Perrin, C., see O. Peña **206**, 6
Phita, I.M., see A.K. Asadov **206**, 119
Plakida, N.M., see C. Minh-Tien **206**, 90
Polyanskii, A.A., see L.A. Dorosinskii **206**, 360
Provost, J., see V. Hardy **206**, 220
Prozorov, R.L., see L.A. Dorosinskii **206**, 360

Raffy, H., see Z.Z. Li **206**, 367
Rao, C.N.R., see R. Vijayaraghavan **206**, 81
Rao, K.V.R., see B.R. Sekhar **206**, 139
Rauch, W., see Y. Sun **206**, 291
Raveau, B., see R. Vijayaraghavan **206**, 81
Rifi, H., see Z.Z. Li **206**, 367
Rodriguez, M.A., R.L. Snyder, B.J. Chen, D.P. Matheis, S.T. Misture, V.D. Frechette, G. Zorn, H.E. Göbel and B. Seebacher, The high-temperature reactions of $YBa_2Cu_3O_{7-\delta}$ **206**, 43
Rosengren, A., see V.E. Zubkus **206**, 155
Rosseel, E., see C.M. Fu **206**, 110
Russo, R.E., see S.K. Gupta **206**, 335

Saini, N.L., see B.R. Sekhar **206**, 139
Sakurai, T., see S. Adachi **206**, 329
Salsi, G., see G. Calestani **206**, 33
Sano, Y., see K. Yoshida **206**, 127
Scheel, H.J., see W. Marti **206**, 158
Seebacher, B., see M.A. Rodriguez **206**, 43
Seidenbusch, W., see Y. Sun **206**, 291
Seiji, N., see S. Adachi **206**, 329
Sekhar, B.R., P. Srivastava, N.L. Saini, K.V.R. Rao, S.K. Sharma, K.B. Garg, S.K. Agarwal, V.P.S. Awana and A.V. Narlikar, Core-level X-ray photoemission studies of $Bi_2Sr_2Ca_{1-x}Eu_xCu_2O_y$ **206**, 139
Sergent, M., see O. Peña **206**, 6
Shah, N., see P. Ganguly **206**, 70
Shao, B., see C.D. Wei **206**, 285
Sharma, S.K., see B.R. Sekhar **206**, 139
Shelkova, I.G., see A.I. Beskrovnyi **206**, 27
Shimada, H., see H. Teshima **206**, 103
Simon, Ch., see V. Hardy **206**, 220
Simón, M.E., M. Baliña and A.A. Aligia, Effective one-band hamiltonian for cuprate superconductor metal–insulator transition **206**, 297
Snyder, R.L., see M.A. Rodriguez **206**, 43
Snyder, R.L., see L.M. Fisher **206**, 195
Srivastava, P., see B.R. Sekhar **206**, 139
Stepanov, Yu.P., see V.G. Fleisher **206**, 305
Strasser, G., see Y. Sun **206**, 291
Suga, M., S. Tajima and N. Koshizuka, Optical characterization on normal conducting cuprate used in all oxide S/N/S junctions **206**, 22
Summers, G.P., see E.M. Jackson **206**, 163
Sun, Y., G. Strasser, E. Gornik, W. Seidenbusch and W. Rauch, Critical temperature dependence of $YBa_2Cu_3O_y$ and $Y_{1-x}Ca_xBa_2Cu_3O_y$ on carrier concentration **206**, 291
Sushkov, O.P., The *t–J* model. I. Vertex function for the interaction of a hole with long-wave-length magnons **206**, 264
Sushkov, O.P. and V.V. Flambaum, The *t–J* model. II. Instability of the magnetic order and of the Fermi surface under doping **206**, 269
Svetchnikov, V., see C. Træholt **206**, 318
Syono, Y., see H. Nameki **206**, 227

Tajima, S., see M. Suga **206**, 22
Takagi, H., see C.H. Chen **206**, 183
Takeno, S., S. Nakamura, Y. Terashima and T. Miura, A high-resolution electron microscopy study on epitaxial infinite-layer $SrCuO_2$ thin films grown on a $SrTiO_3(100)$ substrate **206**, 75
Tanaka, K., see H. Teshima **206**, 103
Terashima, Y., see S. Takeno **206**, 75
Teshima, H., H. Shimada, M. Imafuku and K. Tanaka, Possibility of in situ orthorhombic I growth of $YBa_2Cu_3O_y$ thin films **206**, 103
Thivet, C., see O. Peña **206**, 6
Thomsen, C. and M. Cardona, A comment on the superconductivity-induced broadening of the 340 cm^{-1} Raman-active phonon in $YBa_2Cu_3O_7$ **206**, 137
Thomsen, C., see J. Humlíček **206**, 345
Tomii, Y., see K. Yoshida **206**, 127
Tornau, E.E., see V.E. Zubkus **206**, 155
Træholt, C., J.G. Wen, V. Svetchnikov, A. Delsing and H.W. Zandbergen, A reliable method of TEM cross section specimen preparation of YBCO films on various substrates **206**, 318
Trofimov, I.E., see J. Humlíček **206**, 345

Umezawa, K., see J. Arai **206**, 257

Van Tendeloo, G., see G. Calestani **206**, 33
Vaures, A., see Z.Z. Li **206**, 367
Vijayaraghavan, R., C. Michel, A. Maignan, M. Hervieu, C. Martin, B. Raveau and C.N.R. Rao, Structure and properties of $Tl_{0.5}Pb_{0.5}Sr_2Gd_{2-x}Ce_xCu_2O_{9-\delta}$ **206**, 81
Vlasko-Vlasov, V.K., see L.A. Dorosinskii **206**, 360
Voloshin, I.F., see L.M. Fisher **206**, 195

Wang, J., see C.D. Wei **206**, 285
Weaver, B.D., see E.M. Jackson **206**, 163
Wei, C.D., Z.X. Liu, B. Ye, Y. Zhou, R. Zeng, J. Zhang, A. Liu, B. Shao, J. Wang, M. Zhou and G. Yuan, The irreversibility lines of silver-sheathed Bi2223 superconducting tapes **206**, 285
Wen, J.G., see C. Træholt **206**, 318
Werder, D.J., see C.H. Chen **206**, 183
Wuyts, B., see S. Libbrecht **206**, 51

Xie, M., L.W. Zhang, T.G. Chen, X.T. Li and J. Cai, Formation

and decomposition of a Ca_2PbO_4-modified phase in the $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ compound **206**, 251
Xu, Y. and W. Guan, Hopping conductivity in the $PrBa_2Cu_{3-x}Ga_xO_{7-y}$ system **206**, 59

Yaegashi, Y., see S. Adachi **206**, 329
Yamauchi, H., see S. Adachi **206**, 329
Yampol'skii, V.A., see L.M. Fisher **206**, 195
Ye, B., see C.D. Wei **206**, 285
Yoshida, K., Y. Sano and Y. Tomii, Percolative behavior of Ag-phase clusters in superconducting Bi–Pb–Sr–Ca–Cu–O ceramics **206**, 127
Yuan, G., see C.D. Wei **206**, 285

Zandbergen, H.W., see C. Træholt **206**, 318
Zeng, R., see C.D. Wei **206**, 285
Zettl, A., see S.K. Gupta **206**, 335
Zhang, J., see C.D. Wei **206**, 285
Zhang, L.W., see M. Xie **206**, 251
Zhang, X.F., see G. Calestani **206**, 33
Zhitomirsky, M., see I. Luk'yanchuk **206**, 373
Zhou, M., see C.D. Wei **206**, 285
Zhou, Y., see C.D. Wei **206**, 285
Zhuchenko, N.K., Polarized neutron diffraction by vortex lattice in magnetic superconductors **206**, 133
Zhuchenko, N.K., Small angle scattering of polarized neutrons from an anisotropic superconductor in the mixed state **206**, 233
Zorn, G., see M.A. Rodriguez **206**, 43
Zubkus, V.E., S. Lapinskas, A. Rosengren and E.E. Tornau, Cell tripled structure of $YBa_2Cu_3O_{6+x}$ for $x>0.5$ **206**, 155

Physica C 206 (1993) 403
North-Holland

PHYSICA C

Analytic Subject Index to Volume 206

AC susceptibility 305
Anisotropic pairing 373
Anisotropic superconductor 110, 119, 233, 367
Antiferromagnetic order 13, 257, 264, 269, 393

BCS model 217

C_{60} compounds 217
Carrier concentration 291
Critical current density 6, 163, 169, 275, 285, 387
Critical exponents 127
Critical state model 169, 195

Defect structures 75, 183
Dimensional crossover of mixed state 387

Electrical resistivity 1, 51, 59, 127
Electron diffraction 227
Electron–phonon coupling 90, 217
Energy gap 217, 269
ESR 70, 257

Fermi surface 269
Floating zone method 148
Fluctuation effects 110, 119
Flux lattice 133, 233, 360, 373
Flux pinning 220, 285, 360

Grain alignment 275, 305
Granular superconductivity 127

Hall effect 51, 291
Heavy-fermion compounds 373
High pressure effect 97
Hole–magnon interaction 264
Hopping conductivity 59
HREM 33, 75, 242, 318
Hubbard Hamiltonian 90, 297, 393

Infrared spectroscopy 345
Interacting hole-spin model 13
Interface reactions 202, 242
Irradiation effect 163, 220
Irreversibility line 285
I–V characteristics 335

Kosterlitz–Thouless model 119, 335

Lattice dynamics 137, 345
Lattice parameters 139, 207

Magnetic relaxation 305
Magnetic superconductor 133
Magnetic susceptibility 119
Magnetization 6, 51, 169, 220, 275, 285, 329
Magnetoresistance 110
Metal–insulator transition 297
Modulated structures 27, 227
Multilayers 110, 387

Neutron diffraction 27, 133, 158
Neutron scattering 233
Non-ohmic behaviour 195, 335

Optical spectroscopy 22
O–T transition 59, 183
Oxygen ordering 51, 155
Oxygen stoichiometry 27, 51, 103, 119, 155, 227, 291, 367

Penetration depth 163
Percolation model 127
Phase diagram 155
Phase equilibria 43
Proximity effect 22

Raman scattering 137, 345
Renormalization of spin waves 13
RKKY interaction 13

S/N/S junction 22
Shear transformation 97
Single crystal growth 148
S–I–S junction 59
Spin fluctuation 257
Spin fluctuations 90, 269
String 393
Structural phase transition 158, 183
Structure
–in $YBa_2Cu_4O_8$ 207
–of $Ba_3SrCu_2O_{6.2}CO_2$ 70
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ 251
–of $Bi_{2-x}Pb_xSr_2Y_{0.2}Ca_{0.8}Cu_2O_z$ 33
–of $GdBa_2Cu_3O_{7-\delta}$ 1
–of $La_{1.85}Ca_{1.15}Cu_2O_6$ 329
–of $La_{2-x}Ba_xCuO_4$ ($x=0.125$) and Nd_2NiO_4 183
–of $Tl_{0.5}Pb_{0.5}Sr_2Gd_{2-x}Ce_xCu_2O_{9-\delta}$ 81
–of $YBa_2Cu_3O_{6+x}$ 155
Substitution effects
–in $Bi_2Sr_2Ca_{1-x}Eu_xCu_2O_y$ 139
–in $(La_{1-x}Sr_x)_2Cu_{0.99}M_{0.01}O_{4-z}$ 257
–in $Tl_{0.5}Pb_{0.5}Sr_2Gd_{2-x}Ce_xCu_2O_{9-\delta}$ 81
–in $YBa_2Cu_3O_{\sim 6.5}$ 6
–in $YBa_2Cu_4O_8$ 207
Surface impedance 195
Synthesis
–of $Ba_3SrCu_2O_{6.2}CO_2$ 70
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_x$ 251
–of $Bi_2Sr_2CaCu_2O_8$ 148
–of $Bi_2Sr_2CuO_x$ 367
–of $Bi_{2-x}Pb_xSr_2Y_{0.2}Ca_{0.8}Cu_2O_z$ 33
–of $La_{1.85}Ca_{1.15}Cu_2O_6$ 329
–of $PrBa_2Cu_{3-x}Ga_xO_{7-y}$ 59
–of $YBa_2Cu_3O_{7-\delta}$ 43
–of $YBa_2Cu_3O_y$ 103
–of YBCO 318

Thermal expansion 97, 158
Thin films 6, 51, 75, 103, 242, 291, 318, 335, 367
–of $GdBa_2Cu_3O_{7-\delta}$ 1
t–J model 264, 269
Twin boundaries 360

Upper critical field H_{c2} 373

XPS 139, 202
X-ray diffraction 43, 81